

LONG THREADED TUBE END

Base Width: 19mm
Shank Width: 17mm
Shank Length: 28mm
Overall Length: 31mm
Thread: M8
Load Capacity: 50kg

MILD STEEL



TIR19SQM08



9

331244 314310

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 19mm

Shank Width: 17mm

Shank Length: 28mm

Overall Length: 31mm

Thread: M8

Load Capacity: 50kg

**STAINLESS
STEEL**



TIR19SQM08SS



9

331244 314617

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 25mm

Shank Width: 23.8mm

Shank Length: 39.6mm

Overall Length: 46.6mm

Thread: M8

Load Capacity: 250kg

MILD STEEL



TIR25SQM08



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 25mm

Shank Width: 23.8mm

Shank Length: 39.6mm

Overall Length: 46.6mm

Thread: M8

Load Capacity: 250kg

**STAINLESS
STEEL**



TIR25SQM08SS



9

331244 314624

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 25mm

Shank Width: 23.8mm

Shank Length: 39.6mm

Overall Length: 46.6mm

Thread: M10

Load Capacity: 250kg

MILD STEEL



TIR25SQM10



9

331244 314334

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 25mm

Shank Width: 23.8mm

Shank Length: 39.6mm

Overall Length: 46.6mm

Thread: M10

Load Capacity: 250kg

**STAINLESS
STEEL**



TIR25SQM10SS



9

331244 314631

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 25mm

Shank Width: 23.8mm

Shank Length: 39.6mm

Overall Length: 46.6mm

Thread: M12

Load Capacity: 250kg

MILD STEEL



TIR25SQM12



9

331244 314341

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 25mm

Shank Width: 23.8mm

Shank Length: 39.6mm

Overall Length: 46.6mm

Thread: M12

Load Capacity: 250kg

**STAINLESS
STEEL**



TIR25SQM12SS



9

331244 314648

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 32mm

Shank Width: 30mm

Shank Length: 38.4mm

Overall Length: 46.4mm

Thread: M8

Load Capacity: 350kg

MILD STEEL



TIR32SQM08



9

331244 314358

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 32mm

Shank Width: 30mm


Shank Length: 38.4mm

Overall Length: 46.4mm

Thread: M8

Load Capacity: 350kg

**STAINLESS
STEEL**



TIR32SQM08SS



9

331244 314655

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 32mm

Shank Width: 30mm

Shank Length: 38.4mm

Overall Length: 46.4mm

Thread: M10

Load Capacity: 350kg

MILD STEEL



TIR32SQM10



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 32mm

Shank Width: 30mm

Shank Length: 38.4mm

Overall Length: 46.4mm

Thread: M10

Load Capacity: 350kg

**STAINLESS
STEEL**



TIR32SQM10SS



RICHMOND
MATERIAL HANDLING

9

LONG THREADED TUBE END

Base Width: 32mm

Shank Width: 30mm

Shank Length: 38.4mm

Overall Length: 46.4mm

Thread: M12

Load Capacity: 350kg

MILD STEEL



TIR32SQM12



9

331244 314372

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 32mm

Shank Width: 30mm

Shank Length: 38.4mm

Overall Length: 46.4mm

Thread: M12

Load Capacity: 350kg

**STAINLESS
STEEL**



TIR32SQM12SS



9

331244 314679

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 38mm

Shank Width: 36.1mm

Shank Length: 38.1mm

Overall Length: 46.1mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



TIR38SQM10



9

331244 314389

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 38mm

Shank Width: 36.1mm

Shank Length: 38.1mm

Overall Length: 46.1mm

Thread: M10

Load Capacity: 500kg

**STAINLESS
STEEL**



TIR38SQM10SS



9

331244 314686

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 38mm

Shank Width: 36.1mm

Shank Length: 38.1mm

Overall Length: 46.1mm

Thread: M12

Load Capacity: 500kg

MILD STEEL



TIR38SQM12



9

331244 314396

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 38mm

Shank Width: 36.1mm

Shank Length: 38.1mm

Overall Length: 46.1mm

Thread: M12

Load Capacity: 500kg

**STAINLESS
STEEL**



TIR38SQM12SS



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 38mm

Shank Width: 36.1mm

Shank Length: 38.1mm

Overall Length: 46.1mm

Thread: M16

Load Capacity: 500kg

MILD STEEL



TIR38SQM16



9

331244 314402

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 38mm

Shank Width: 36.1mm

Shank Length: 38.1mm

Overall Length: 46.1mm

Thread: M16

Load Capacity: 500kg

**STAINLESS
STEEL**



TIR38SQM16SS



9

331244 314709

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 40mm

Shank Width: 36.8mm

Shank Length: 38.1mm

Overall Length: 47.1mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



TIR40SQM10



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 40mm

Shank Width: 36.8mm

Shank Length: 38.1mm

Overall Length: 47.1mm

Thread: M12

Load Capacity: 500kg

MILD STEEL



TIR40SQM12



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 40mm

Shank Width: 36.8mm

Shank Length: 38.1mm

Overall Length: 47.1mm

Thread: M16

Load Capacity: 500kg

MILD STEEL



TIR40SQM16



9

331244 314433

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 51mm

Shank Width: 47.9mm

Shank Length: 36.9mm

Overall Length: 46.9mm

Thread: M10

Load Capacity: 750kg

MILD STEEL



TIR51SQM10



9

331244 314440

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 51mm

Shank Width: 47.9mm

Shank Length: 36.9mm

Overall Length: 46.9mm

Thread: M12

Load Capacity: 750kg

MILD STEEL



TIR51SQM12

RICHMOND
MATERIAL HANDLING



9

LONG THREADED TUBE END

Base Width: 51mm

Shank Width: 47.9mm

Shank Length: 36.9mm

Overall Length: 46.9mm

Thread: M16

Load Capacity: 750kg

MILD STEEL



TIR51SQM16



9

331244 314464

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 51mm

Shank Width: 47.9mm

Shank Length: 36.9mm

Overall Length: 46.9mm

Thread: M20

Load Capacity: 750kg

MILD STEEL



TIR51SQM20



9

331244 314471

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 25mm

Shank Width: 22.9mm

Shank Length: 37.4mm

Overall Length: 45.8mm

Thread: M8

Load Capacity: 100kg

MILD STEEL



TIR25R0M08



9

331244 086774

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 25mm

Shank Width: 22.9mm

Shank Length: 37.4mm

Overall Length: 45.8mm

Thread: M10

Load Capacity: 100kg

MILD STEEL



TIR25R0M10



9

331244 314198

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 25mm

Shank Width: 22.9mm

Shank Length: 37.4mm

Overall Length: 45.8mm

Thread: M12

Load Capacity: 100kg

MILD STEEL



TIR25R0M12



9

331244 314204

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 32mm

Shank Width: 29.5mm

Shank Length: 39.2mm

Overall Length: 45.3mm

Thread: M10

Load Capacity: 250kg

MILD STEEL



TIR32R0M10



9

331244 314211

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 32mm

Shank Width: 29.5mm

Shank Length: 39.2mm

Overall Length: 45.3mm

Thread: M12

Load Capacity: 250kg

MILD STEEL



TIR32R0M12



9

331244 314228

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 32mm

Shank Width: 29.5mm

Shank Length: 39.2mm

Overall Length: 45.3mm

Thread: M16

Load Capacity: 250kg

MILD STEEL



TIR32R0M16



9

331244 314235

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 38mm

Shank Width: 35.3mm

Shank Length: 39.4mm

Overall Length: 45.6mm

Thread: M10

Load Capacity: 300kg

MILD STEEL



TIR38R0M10



9

331244 314242

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 38mm

Shank Width: 35.3mm

Shank Length: 39.4mm

Overall Length: 45.6mm

Thread: M12

Load Capacity: 300kg

MILD STEEL



TIR38R0M12



9

331244 314259

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 38mm

Shank Width: 35.3mm

Shank Length: 39.4mm

Overall Length: 45.6mm

Thread: M16

Load Capacity: 300kg

MILD STEEL



TIR38R0M16



9

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 51mm

Shank Width: 48.5mm


Shank Length: 39.2mm

Overall Length: 47.4mm

Thread: M10

Load Capacity: 450kg

MILD STEEL



TIR51R0M10



9

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 51mm

Shank Width: 48.5mm

Shank Length: 39.2mm

Overall Length: 47.4mm

Thread: M12

Load Capacity: 450kg

MILD STEEL



TIR51R0M12



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 51mm

Shank Width: 48.5mm


Shank Length: 39.2mm

Overall Length: 47.4mm

Thread: M16

Load Capacity: 450kg

MILD STEEL



TIR51R0M16



9

331244 314297

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Base Width: 51mm

Shank Width: 48.5mm

Shank Length: 39.2mm

Overall Length: 47.4mm

Thread: M20

Load Capacity: 450kg

MILD STEEL



TIR51R0M20



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 40mm

Shank Width: 36.8mm

Shank Length: 38.1mm

Overall Length: 47.1mm

Thread: M10

Load Capacity: 500kg

**STAINLESS
STEEL**



TIR40SQM10SS



9

331244 314716

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 40mm

Shank Width: 36.8mm


Shank Length: 38.1mm

Overall Length: 47.1mm

Thread: M12

Load Capacity: 500kg

**STAINLESS
STEEL**



TIR40SQM12SS



9

331244 314723

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 40mm

Shank Width: 36.8mm

Shank Length: 38.1mm

Overall Length: 47.1mm

Thread: M16

Load Capacity: 500kg

**STAINLESS
STEEL**



TIR40SQM16SS



9

331244 314730

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 51mm

Shank Width: 47.9mm

Shank Length: 36.9mm

Overall Length: 46.9mm

Thread: M10

Load Capacity: 750kg

**STAINLESS
STEEL**



TIR51SQM10SS



9

331244 314471

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 51mm

Shank Width: 47.9mm

Shank Length: 36.9mm

Overall Length: 46.9mm

Thread: M12

Load Capacity: 750kg

**STAINLESS
STEEL**



TIR51SQM12SS



9

331244 314754

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 51mm

Shank Width: 47.9mm

Shank Length: 36.9mm

Overall Length: 46.9mm

Thread: M16

Load Capacity: 750kg

**STAINLESS
STEEL**



TIR51SQM16SS



9

331244 314761

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 51mm

Shank Width: 47.9mm

Shank Length: 36.9mm

Overall Length: 46.9mm

Thread: M20

Load Capacity: 750kg

**STAINLESS
STEEL**



TIR51SQM20SS



9

331244 314778

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 25mm

Shank Width: 22.9mm

Shank Length: 37.4mm

Overall Length: 45.8mm

Thread: M8

Load Capacity: 100kg

**STAINLESS
STEEL**



TIR25R0M08SS



9

331244 314624

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel]

Base Width: 25mm

Shank Width: 22.9mm

Shank Length: 37.4mm

Overall Length: 45.8mm

Thread: M10

Load Capacity: 100kg

**STAINLESS
STEEL**



TIR25ROM10SS



9

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 25mm

Shank Width: 22.9mm

Shank Length: 37.4mm

Overall Length: 45.8mm

Thread: M12

Load Capacity: 100kg

**STAINLESS
STEEL**



TIR25ROM12SS



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 32mm

Shank Width: 29.5mm

Shank Length: 39.2mm

Overall Length: 45.3mm

Thread: M10

Load Capacity: 250kg

**STAINLESS
STEEL**



TIR32ROM10SS



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 32mm

Shank Width: 29.5mm

Shank Length: 39.2mm

Overall Length: 45.3mm

Thread: M12

Load Capacity: 250kg

**STAINLESS
STEEL**



TIR32ROM12SS



9

331244 314525

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 32mm

Shank Width: 29.5mm

Shank Length: 39.2mm

Overall Length: 45.3mm

Thread: M16

Load Capacity: 250kg

**STAINLESS
STEEL**



TIR32ROM16SS



9

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 38mm

Shank Width: 35.3mm

Shank Length: 39.4mm

Overall Length: 45.6mm

Thread: M10

Load Capacity: 300kg

**STAINLESS
STEEL**



TIR38ROM10SS



9

331244 314549

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 38mm

Shank Width: 35.3mm

Shank Length: 39.4mm

Overall Length: 45.6mm

Thread: M12

Load Capacity: 300kg

**STAINLESS
STEEL**



TIR38ROM12SS



RICHMOND
MATERIAL HANDLING

9

LONG THREADED TUBE END

Stainless Steel

Base Width: 38mm

Shank Width: 35.3mm

Shank Length: 39.4mm

Overall Length: 45.6mm

Thread: M16

Load Capacity: 300kg

**STAINLESS
STEEL**



TIR38ROM16SS



9

331244 314563

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 51mm

Shank Width: 48.5mm

Shank Length: 39.2mm

Overall Length: 47.4mm

Thread: M10

Load Capacity: 450kg

**STAINLESS
STEEL**



TIR51ROM10SS



9

331244 314570

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 51mm

Shank Width: 48.5mm

Shank Length: 39.2mm

Overall Length: 47.4mm

Thread: M12

Load Capacity: 450kg

**STAINLESS
STEEL**



TIR51R0M12SS



9

331244 314587

RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 51mm

Shank Width: 48.5mm

Shank Length: 39.2mm

Overall Length: 47.4mm

Thread: M16

Load Capacity: 450kg

**STAINLESS
STEEL**



TIR51ROM16SS



RICHMOND
MATERIAL HANDLING

LONG THREADED TUBE END

Stainless Steel

Base Width: 51mm

Shank Width: 48.5mm

Shank Length: 39.2mm

Overall Length: 47.4mm

Thread: M20

Load Capacity: 450kg

**STAINLESS
STEEL**



TIR51R0M20SS



RICHMOND
MATERIAL HANDLING

9

RUBBER BASE LEVELING FOOT

Size: 60 x M10

Base Diameter: 60mm

Base Height: 25mm

Thread Length: 50mm

Thread: M10

Load Capacity: 1000kg

MILD STEEL



LVR118



RICHMOND
MATERIAL HANDLING

RUBBER BASE LEVELING FOOT

Size: 60 x M10

Base Diameter: 60mm

Base Height: 25mm

Thread Length: 100mm

Thread: M10

Load Capacity: 1000kg

MILD STEEL



LVR119



RICHMOND
MATERIAL HANDLING

RUBBER BASE LEVELING FOOT

Size: 60 x M12

Base Diameter: 60mm

Base Height: 25mm

Thread Length: 100mm

Thread: M12

Load Capacity: 1000kg

MILD STEEL



LVR121



RICHMOND
MATERIAL HANDLING

STEEL BASE LEVELING FOOT

Size: 38 x M8

Base Diameter: 38mm

Base Height: 11mm

Thread Length: 50mm

Thread: M8

Load Capacity: 150kg

MILD STEEL



LVR088



9

331244 313535

RICHMOND
MATERIAL HANDLING

STEEL BASE LEVELING FOOT

Size: 38 x M8

Base Diameter: 38mm

Base Height: 11mm

Thread Length: 100mm

Thread: M8

Load Capacity: 150kg

MILD STEEL



LVR089



9

331244 313542

RICHMOND
MATERIAL HANDLING

STEEL BASE LEVELING FOOT

Size: 38 x M10

Base Diameter: 38mm

Base Height: 11mm

Thread Length: 50mm

Thread: M10

Load Capacity: 150kg

MILD STEEL



LVR090



9

331244 313559

RICHMOND
MATERIAL HANDLING

STEEL BASE LEVELING FOOT

Size: 60 x M10

Base Diameter: 60mm

Base Height: 11mm

Thread Length: 100mm

Thread: M10

Load Capacity: 300kg

MILD STEEL



LVR093



9

331244 313580

RICHMOND
MATERIAL HANDLING

STEEL BASE LEVELING FOOT

Size: 60 x M12

Base Diameter: 60mm

Base Height: 11mm

Thread Length: 100mm

Thread: M12

Load Capacity: 300kg

MILD STEEL



LVR095



9

331244 313603

RICHMOND
MATERIAL HANDLING

STEEL BASE LEVELING FOOT

Size: 80 x M16

Base Diameter: 80mm

Base Height: 13mm

Thread Length: 100mm

Thread: M16

Load Capacity: 500kg

MILD STEEL



LVR096



9

331244313610

RICHMOND
MATERIAL HANDLING

STEEL BASE LEVELING FOOT

Size: 80 x M20

Base Diameter: 80mm

Base Height: 13mm

Thread Length: 100mm

Thread: M20

Load Capacity: 500kg

MILD STEEL



LVR098



9

331244313634

RICHMOND
MATERIAL HANDLING

STEEL BASE LEVELING FOOT

Size: 100 x M20

Base Diameter: 100mm

Base Height: 20mm

Thread Length: 150mm

Thread: M20

Load Capacity: 700kg

MILD STEEL



LVR101



9

331244 313665

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Size: 80 x M8

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 18mm

Thread: M8

Load Capacity: 350kg

MILD STEEL



LVR8008100B



9

331244 312859

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Size: 80 x M10

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 18mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



LVR8010100B



9

331244 312897

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Size: 80 x M12

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 18mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR8012100B



9

331244 312903

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Size: 80 x M12

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 18mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR8012150B



9

331244 312927

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Size: 100 x M12

Base Diameter: 100mm

Thread Height: 100mm

Base Height: 29mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR10012100B



9

331244 312934

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Size: 100 x M12

Base Diameter: 100mm

Thread Height: 150mm

Base Height: 29mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR10012150B



9

331244 312941

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Size: 100 x M16

Base Diameter: 100mm

Thread Height: 150mm

Base Height: 28mm

Thread: M16

Load Capacity: 1000kg

MILD STEEL



LVR10016150B



9

331244 312965

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Size: 127 x M16
Base Diameter: 127mm
Thread Height: 150mm
Base Height: 29mm
Thread: M16
Load Capacity: 1000kg

MILD STEEL



LVR12716150B



9

331244 312989

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Size: 127 x M20

Base Diameter: 127mm

Thread Height: 150mm

Base Height: 30mm

Thread: M20

Load Capacity: 1000kg

MILD STEEL



LVR12720150B



9

331244 313009

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 50 x M8

Base Diameter: 50mm

Thread Height: 50mm

Base Height: 23mm

Thread: M8

Load Capacity: 350kg

MILD STEEL



LVR500850F



RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 50 x M10

Base Diameter: 50mm

Thread Height: 50mm

Base Height: 23mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



LVR501050F



RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 60 x M12

Base Diameter: 60mm

Thread Height: 50mm

Base Height: 25mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR601250F



9

331244 312156

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 60 x M12

Base Diameter: 60mm

Thread Height: 100mm

Base Height: 25mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR6012100F



RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 60 x M16

Base Diameter: 60mm

Thread Height: 150mm

Base Height: 25mm

Thread: M16

Load Capacity: 1000kg

MILD STEEL



LVR6016150F



9

331244 312200

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 60 x M20

Base Diameter: 60mm

Thread Height: 150mm

Base Height: 25mm

Thread: M20

Load Capacity: 1000kg

MILD STEEL



LVR6020150F



9

331244 312224

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 80 x M12

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 30mm

Thread: M12

Load Capacity: 500kg

MILD STEEL



LVR8012100F



9

331244 312231

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 80 x M12

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 30mm

Thread: M12

Load Capacity: 500kg

MILD STEEL



LVR8012150F



9

331244 312422

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 80 x M16

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 30mm

Thread: M16

Load Capacity: 800kg

MILD STEEL



LVR8016150F



9

331244 312262

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Size: 80 x M20

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 30mm

Thread: M20

Load Capacity: 1000kg

MILD STEEL



LVR8020150F



RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 40 x M8

Base Diameter: 40mm

Thread Height: 50mm

Base Height: 17mm

Thread: M8

Load Capacity: 350kg

MILD STEEL



LVR400850S



9

331244 312477

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 40 x M8

Base Diameter: 40mm

Thread Height: 100mm

Base Height: 17mm

Thread: M8

Load Capacity: 350kg

MILD STEEL



LVR4008100S



9

331244 312484

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 40 x M10

Base Diameter: 40mm

Thread Height: 50mm

Base Height: 16mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



LVR401050S



9

331244 312491

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 40 x M10

Base Diameter: 40mm

Thread Height: 100mm

Base Height: 18mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



LVR4010100S



9

331244 312507

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 60 x M8

Base Diameter: 60mm

Thread Height: 50mm

Base Height: 24mm

Thread: M8

Load Capacity: 350kg

MILD STEEL



LVR600850S



9

331244 312514

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 60 x M10

Base Diameter: 60mm

Thread Height: 50mm

Base Height: 24mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



LVR601050S



9

331244 312538

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 60 x M10

Base Diameter: 60mm

Thread Height: 100mm

Base Height: 24mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



LVR6010100S



9

331244 312545

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 60 x M12

Base Diameter: 60mm

Thread Height: 50mm

Base Height: 24mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR601250S



9

331244 312552

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 60 x M12

Base Diameter: 60mm

Thread Height: 100mm

Base Height: 24mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR6012100S



RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 80 x M12

Base Diameter: 80mm

Thread Height: 50mm

Base Height: 24mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR801250S



9

331244312576

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 80 x M12

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 24mm

Thread: M12

Load Capacity: 800kg

MILD STEEL



LVR8012100S



9

331244 312583

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 80 x M16

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 23mm

Thread: M16

Load Capacity: 1000kg

MILD STEEL



LVR8016100S



9

331244 312613

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 80 x M16

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 24mm

Thread: M16

Load Capacity: 1000kg

MILD STEEL



LVR8016150S



9

331244 312620

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 80 x M20

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 23mm

Thread: M20

Load Capacity: 1000kg

MILD STEEL



LVR8020100S



9

331244 312637

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Size: 80 x M20

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 24mm

Thread: M20

Load Capacity: 1000kg

MILD STEEL



LVR8020150S



9

331244 312644

RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 25 x M8

Base Diameter: 25mm

Base Height: 10mm

Thread Length: 50mm

Thread: M8

Load Capacity: 100kg

MILD STEEL



LVR057



9

331244 313214

RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 38 x M8

Base Diameter: 38mm

Base Height: 10mm

Thread Length: 50mm

Thread: M8

Load Capacity: 200kg

MILD STEEL



LVR059



9

331244 313238

RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 38 x M10

Base Diameter: 38mm

Base Height: 10mm

Thread Length: 50mm

Thread: M10

Load Capacity: 200kg

MILD STEEL



LVR060



RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 50 x M10

Base Diameter: 50mm

Base Height: 10mm

Thread Length: 50mm

Thread: M10

Load Capacity: 300kg

MILD STEEL



LVR062



9

331244 313269

RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 50 x M10

Base Diameter: 50mm

Base Height: 10mm

Thread Length: 100mm

Thread: M10

Load Capacity: 300kg

MILD STEEL



LVR063



9

331244 313276

RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 50 x M12

Base Diameter: 50mm

Base Height: 10mm

Thread Length: 50mm

Thread: M12

Load Capacity: 300kg

MILD STEEL



LVR064



9

331244 313283

RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 50 x M12

Base Diameter: 50mm

Base Height: 10mm

Thread Length: 100mm

Thread: M12

Load Capacity: 300kg

MILD STEEL



LVR065



RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 63 x M10

Base Diameter: 63mm

Base Height: 10mm

Thread Length: 50mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



LVR066



9

331244 313306

RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 63 x M10

Base Diameter: 63mm

Base Height: 10mm

Thread Length: 100mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



LVR067



9

331244 313313

RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 63 x M12

Base Diameter: 63mm

Base Height: 10mm

Thread Length: 50mm

Thread: M12

Load Capacity: 500kg

MILD STEEL



LVR068



9

331244 313320

RICHMOND
MATERIAL HANDLING

NYLON KNOB LEVELING FOOT

Size: 63 x M12

Base Diameter: 63mm

Base Height: 10mm

Thread Length: 100mm

Thread: M12

Load Capacity: 500kg

MILD STEEL



LVR069



RICHMOND
MATERIAL HANDLING

NYLON CONE LEVELING FOOT

Size: 40 x M8

Base Diameter: 40mm

Base Height: 13mm

Thread Length: 50mm

Thread: M8

Load Capacity: 100kg

MILD STEEL



LVR051



9

331244 313153

RICHMOND
MATERIAL HANDLING

NYLON CONE LEVELING FOOT

Size: 50 x M10

Base Diameter: 50mm

Base Height: 13mm

Thread Length: 50mm

Thread: M10

Load Capacity: 150kg

MILD STEEL



LVR052



9

331244 313160

RICHMOND
MATERIAL HANDLING

NYLON CONE LEVELING FOOT

Size: 60 x M12

Base Diameter: 60mm

Base Height: 13mm

Thread Length: 50mm

Thread: M12

Load Capacity: 200kg

MILD STEEL



LVR053



9

331244 313177

RICHMOND
MATERIAL HANDLING

STEEL/RUBBER LEVELING FOOT

Size: 30 x M6

Base Diameter: 30mm


Base Height: 15mm

Thread Length: 50mm

Thread: M6

Load Capacity: 200kg

MILD STEEL



LVR074



9

331244 313399

RICHMOND
MATERIAL HANDLING

STEEL/RUBBER LEVELING FOOT

Size: 30 x M8

Base Diameter: 30mm


Base Height: 15mm

Thread Length: 50mm

Thread: M8

Load Capacity: 200kg

MILD STEEL



LVR075



RICHMOND
MATERIAL HANDLING

STEEL/RUBBER LEVELING FOOT

Size: 40 x M8

Base Diameter: 40mm


Base Height: 17mm

Thread Length: 50mm

Thread: M8

Load Capacity: 300kg

MILD STEEL



LVR076



9

331244 313412

RICHMOND
MATERIAL HANDLING

STEEL/RUBBER LEVELING FOOT

Size: 40 x M10

Base Diameter: 40mm


Base Height: 17mm

Thread Length: 50mm

Thread: M10

Load Capacity: 300kg

MILD STEEL



LVR078



9

331244 313436

RICHMOND
MATERIAL HANDLING

STEEL/RUBBER LEVELING FOOT

Size: 50 x M10

Base Diameter: 50mm


Base Height: 17mm

Thread Length: 50mm

Thread: M10

Load Capacity: 450kg

MILD STEEL



LVR080



9

331244 313450

RICHMOND
MATERIAL HANDLING

STEEL/RUBBER LEVELING FOOT

Size: 50 x M12

Base Diameter: 50mm


Base Height: 17mm

Thread Length: 50mm

Thread: M12

Load Capacity: 450kg

MILD STEEL



LVR082



9

331244 313474

RICHMOND
MATERIAL HANDLING

STEEL/RUBBER LEVELING FOOT

Size: 60 x M10

Base Diameter: 60mm


Base Height: 20mm

Thread Length: 100mm

Thread: M10

Load Capacity: 600kg

MILD STEEL



LVR085



9

331244 313818

RICHMOND
MATERIAL HANDLING

STEEL/RUBBER LEVELING FOOT

Size: 60 x M12

Base Diameter: 60mm


Base Height: 20mm

Thread Length: 100mm

Thread: M12

Load Capacity: 600kg

MILD STEEL



LVR087



9

331244 313528

RICHMOND
MATERIAL HANDLING

STEEL/NYLON LEVELING FOOT

Size: 25 x M8

Base Diameter: 25mm

Base Height: 10mm

Thread Length: 25mm

Thread: M8

Load Capacity: 200kg

MILD STEEL



LVR070



9

331244 313351

RICHMOND
MATERIAL HANDLING

STEEL/NYLON LEVELING FOOT

Size: 42 x M10

Base Diameter: 42mm

Base Height: 14mm

Thread Length: 45mm

Thread: M10

Load Capacity: 500kg

MILD STEEL



LVR073



9

331244 313382

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Stainless Steel

Size: 80 x M8

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 18mm

Thread: M8

Load Capacity: 350kg

**STAINLESS
STEEL**



LVR8008100BSS



9

331244 313023

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Stainless Steel

Size: 80 x M10

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 18mm

Thread: M10

Load Capacity: 500kg

**STAINLESS
STEEL**



LVR8010100BSS



RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Stainless Steel

Size: 80 x M12

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 18mm

Thread: M12

Load Capacity: 800kg

**STAINLESS
STEEL**



LVR8012100BSS



9

331244 313047

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Stainless Steel

Size: 80 x M12

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 18mm

Thread: M12

Load Capacity: 800kg

**STAINLESS
STEEL**



LVR8012150BSS



9

331244 313061

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Stainless Steel

Size: 100 x M12

Base Diameter: 100mm

Thread Height: 150mm

Base Height: 29mm

Thread: M12

Load Capacity: 800kg

**STAINLESS
STEEL**



LVR10012150BSS



9

331244 313085

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Stainless Steel

Size: 100 x M16

Base Diameter: 100mm

Thread Height: 150mm

Base Height: 28mm

Thread: M16

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR10016150BSS



9

331244 313108

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Stainless Steel

Size: 127 x M16

Base Diameter: 127mm

Thread Height: 150mm

Base Height: 29mm

Thread: M16

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR12716150BSS



9

331244 313122

RICHMOND
MATERIAL HANDLING

BOLT DOWN LEVELING FOOT

Stainless Steel

Size: 127 x M20

Base Diameter: 127mm

Thread Height: 150mm

Base Height: 30mm

Thread: M20

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR12720150BSS



9

331244 313146

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Stainless Steel

Size: 50 x M8

Base Diameter: 50mm

Thread Height: 50mm

Base Height: 23mm

Thread: M8

Load Capacity: 350kg

**STAINLESS
STEEL**



LVR500850FSS



9

331244 312293

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Stainless Steel

Size: 50 x M10

Base Diameter: 50mm

Thread Height: 50mm

Base Height: 23mm

Thread: M10

Load Capacity: 500kg

**STAINLESS
STEEL**



LVR501050FSS



RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Stainless Steel

Size: 60 x M12

Base Diameter: 60mm

Thread Height: 50mm

Base Height: 25mm

Thread: M12

Load Capacity: 800kg

**STAINLESS
STEEL**



LVR601250FSS



9

331244 312330

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Stainless Steel

Size: 60 x M12

Base Diameter: 60mm

Thread Height: 100mm

Base Height: 25mm

Thread: M12

Load Capacity: 800kg

**STAINLESS
STEEL**



LVR6012100FSS



9

331244 312347

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Stainless Steel

Size: 60 x M16

Base Diameter: 60mm

Thread Height: 150mm

Base Height: 25mm

Thread: M16

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR6016150FSS



9

331244 312385

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Stainless Steel

Size: 60 x M20

Base Diameter: 60mm

Thread Height: 150mm

Base Height: 25mm

Thread: M20

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR6020150FSS



9

331244 312408

RICHMOND
MATERIAL HANDLING

FIXED LEVELING FOOT

Stainless Steel

Size: 80 x M20

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 30mm

Thread: M20

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR8020150FSS



9

331244 312460

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 40 x M8

Base Diameter: 40mm

Thread Height: 50mm

Base Height: 17mm

Thread: M8

Load Capacity: 350kg

**STAINLESS
STEEL**



LVR400850SSS



9

331244 312651

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 40 x M8

Base Diameter: 40mm

Thread Height: 100mm

Base Height: 17mm

Thread: M8

Load Capacity: 350kg

**STAINLESS
STEEL**



LVR4008100SSS



RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 40 x M10

Base Diameter: 40mm

Thread Height: 50mm

Base Height: 16mm

Thread: M10

Load Capacity: 500kg

**STAINLESS
STEEL**



LVR401050SSS



9

331244 312675

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 40 x M10

Base Diameter: 40mm

Thread Height: 100mm

Base Height: 18mm

Thread: M10

Load Capacity: 500kg

**STAINLESS
STEEL**



LVR4010100SSS



9

331244 312682

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 60 x M10

Base Diameter: 60mm

Thread Height: 50mm

Base Height: 24mm

Thread: M10

Load Capacity: 500kg

**STAINLESS
STEEL**



LVR601050SSS



9

331244 312712

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 60 x M10

Base Diameter: 60mm

Thread Height: 100mm

Base Height: 24mm

Thread: M10

Load Capacity: 500kg

**STAINLESS
STEEL**



LVR6010100SSS



9

331244 312729

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 60 x M12

Base Diameter: 60mm

Thread Height: 50mm

Base Height: 24mm

Thread: M12

Load Capacity: 800kg

**STAINLESS
STEEL**



LVR601250SSS



9

331244 312736

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 60 x M12

Base Diameter: 60mm

Thread Height: 100mm

Base Height: 24mm

Thread: M12

Load Capacity: 800kg

**STAINLESS
STEEL**



LVR6012100SSS



9

331244 312743

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 80 x M12

Base Diameter: 80mm

Thread Height: 50mm

Base Height: 24mm

Thread: M12

Load Capacity: 800kg

**STAINLESS
STEEL**



LVR801250SSS



9

331244 312750

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 80 x M16

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 23mm

Thread: M16

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR8016100SSS



9

331244 312798

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 80 x M16

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 24mm

Thread: M16

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR8016150SSS



9

331244 312811

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 80 x M20

Base Diameter: 80mm

Thread Height: 100mm

Base Height: 23mm

Thread: M20

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR8020100SSS



9

331244 312828

RICHMOND
MATERIAL HANDLING

BALL JOINTED LEVELING FOOT

Stainless Steel

Size: 80 x M20

Base Diameter: 80mm

Thread Height: 150mm

Base Height: 24mm

Thread: M20

Load Capacity: 1000kg

**STAINLESS
STEEL**



LVR8020150SSS



9

331244 312835

RICHMOND
MATERIAL HANDLING